



WD 290 / WD 290 IQ

Racks and Accessories

Engineers of Confidence.

Belimed
Infection Control



WD 290 / WD 290 IQ Racks and Accessories



WD 290 / WD 290 IQ

6 Racks

- 6 Racks for Instruments
- 7 Adaptable Racks for Instruments
- 8 ECO Racks for Instruments
- 9 Racks for Containers
- 10 Racks for MIS Instruments
- 11 Racks for da Vinci Instruments
- 12 Racks for Anesthesia Instruments
- 12 Rack for Dental Instruments
- 13 Racks for Laboratory Applications

14 Accessories

- 14 Accessories – WD 290 / WD 290 IQ
- 15 Accessories – Racks / Instruments
- 16 System Trays
- 17 Accessories – Racks for MIS Instruments
- 20 Accessories – Racks for Laboratory Applications
- 21 Accessories – ECO Racks for Instruments
- 22 Accessories – Baskets
- 25 Accessories – Racks for da Vinci Instruments
- 26 Mix Trays
- 28 Rack Ports and Flushing Manifolds
- 29 Flushing Tubes
- 30 Product Connectors
- 31 Port Adapters
- 34 LLF Adapters
- 36 Replacement Parts

Article number	Article
----------------	---------

Racks for Instruments

109-3683	Rack Instruments 1 Level Rack for Inserts <ul style="list-style-type: none">· Dimensions L x W x H = 750 x 610 x 60 mm Loading capacity <ul style="list-style-type: none">· 3 standard trays (L x W = 485 x 260 mm)· Level height H = 610 mm· Recommended loading height per level H = 600 mm
647457	Rack Instruments 2 Level Rack for Instruments and Inserts <ul style="list-style-type: none">· Dimensions L x W x H = 750 x 610 x 393 mm· 2 possible connections for additional manifolds· Fast and toolless wash arm cleaning Loading capacity <ul style="list-style-type: none">· 6 standard trays (L x W = 485 x 260 mm)· Level height H = 282 mm· Recommended loading height per level H = 270 mm
647456	Rack Instruments 3 Level Rack for Instruments <ul style="list-style-type: none">· Dimensions L x W x H = 750 x 610 x 505 mm· 4 possible connections for additional manifolds· Fast and toolless wash arm cleaning Loading capacity <ul style="list-style-type: none">· 9 standard trays (L x W = 485 x 260 mm)· Level height H = 172 mm· Recommended loading height per level H = 160 mm
647455	Rack Instruments 4 Level Rack for Instruments <ul style="list-style-type: none">· Dimensions L x W x H = 750 x 610 x 560 mm· 6 possible connections for additional manifolds· Fast and toolless wash arm cleaning Loading capacity <ul style="list-style-type: none">· 12 standard trays (L x W = 485 x 260 mm)· Level height H = 116 mm· Recommended loading height per level H = 105 mm
647454	Rack Instruments 5 Level Rack for Instruments <ul style="list-style-type: none">· Dimensions L x W x H = 750 x 610 x 580 mm· 8 possible connections for additional manifolds· Fast and toolless wash arm cleaning Loading capacity <ul style="list-style-type: none">· 15 standard trays (L x W = 485 x 260 mm)· Level height H = 83 mm· Recommended loading height per level H = 70 mm

Article number	Article
----------------	---------

Racks for Instruments

647452	Rack Instruments 6 Level Rack for Instruments <ul style="list-style-type: none">· Dimensions L x W x H = 750 x 610 x 612 mm· 10 possible connections for additional manifolds· Fast and toolless wash arm cleaning Loading capacity <ul style="list-style-type: none">· 18 standard trays (L x W = 485 x 260 mm)· Level height H = 61 mm· Recommended loading height per level H = 50 mm
--------	---

Adaptable Racks for Instruments

109-2984	Rack Instruments 4 Level Adaptable Rack for Instruments <ul style="list-style-type: none">· Dimensions L x W x H = 750 x 610 x 560 mm· 6 possible connections for additional manifolds· Fast and toolless wash arm cleaning· 2 removable levels Loading capacity <ul style="list-style-type: none">· 12 standard trays (L x W = 485 x 260 mm)· Level height H = 116 mm/282 mm/448 mm· Recommended loading height per level H = 105 mm/270 mm/435 mm
647232	Rack Instruments 5 Level Adaptable Rack for Instruments <ul style="list-style-type: none">· Dimensions L x W x H = 750 x 610 x 580 mm· 8 possible connections for additional manifolds· Fast and toolless wash arm cleaning· 2 removable levels Loading capacity <ul style="list-style-type: none">· 15 standard trays (L x W = 485 x 260 mm)· Level height H = 83 mm/215 mm· Recommended loading height per level H = 70 mm/205 mm

Article number	Article
----------------	---------

ECO Racks for Instruments





870068-3	Rack Instruments 2 Level ECO Rack for Instruments and Inserts <ul style="list-style-type: none">· Dimensions L x W x H = 750 x 610 x 485 mm· Minimal water consumption Loading capacity <ul style="list-style-type: none">· 6 standard trays (L x W = 485 x 260 mm)· Level height H = 293 mm· Recommended loading height per level H = 280 mm
870070-3	Rack Instruments 3 Level ECO Rack for Instruments <ul style="list-style-type: none">· Dimensions L x W x H = 750 x 610 x 495 mm· 2 possible connections for ECO side manifold· Minimal water consumption Loading capacity <ul style="list-style-type: none">· 9 standard trays (L x W = 485 x 260 mm)· Level height H = 180 mm· Recommended loading height per level H = 170 mm
870072-3	Rack Instruments 4 Level ECO Rack for Instruments <ul style="list-style-type: none">· Dimensions L x W x H = 750 x 610 x 550 mm· 2 possible connections for ECO side manifold· Minimal water consumption Loading capacity <ul style="list-style-type: none">· 12 standard trays (L x W = 485 x 260 mm)· Level height H = 127 mm· Recommended loading height per level H = 115 mm
870074-3	Rack Instruments 5 Level ECO Rack for Instruments <ul style="list-style-type: none">· Dimensions L x W x H = 750 x 610 x 584 mm· 2 possible connections for ECO side manifold· Minimal water consumption Loading capacity <ul style="list-style-type: none">· 15 standard trays (L x W = 485 x 260 mm)· Level height H = 94 mm· Recommended loading height per level H = 80 mm
870076-3	Rack Instruments 6 Level ECO Rack for Instruments <ul style="list-style-type: none">· Dimensions L x W x H = 750 x 610 x 605 mm· 2 possible connections for ECO side manifold· Minimal water consumption Loading capacity <ul style="list-style-type: none">· 18 standard trays (L x W = 485 x 260 mm)· Level height H = 70 mm· Recommended loading height per level H = 60 mm

Article number	Article
----------------	---------



Racks for Containers

870010	Rack Containers/Instruments 2 Level Rack for Containers and Instruments <ul style="list-style-type: none">· Dimensions L x W x H = 750 x 610 x 580 mm· Includes spheric jets for interior cleaning of containers Loading capacity <ul style="list-style-type: none">· 3 DIN containers (L x W x H = 600 x 300 x 150 mm) with one-part lids· 6 standard trays (L x W = 485 x 260 mm)· Level height H = 100 mm· Recommended loading height per level H = 90 mm
646733	Rack Containers 1 Level Rack for large Containers <ul style="list-style-type: none">· Dimensions L x W x H = 750 x 610 x 330 mm· Includes spheric jets for interior cleaning of containers Loading capacity <ul style="list-style-type: none">· 4 DIN containers (L x W x H = 600 x 300 x 300 mm) with one-part lids
870030-3	Rack Containers One-Part Lid Rack for Containers with One-Part Lids <ul style="list-style-type: none">· Dimensions L x W x H = 750 x 610 x 538 mm· Includes spheric jets for interior cleaning of containers Loading capacity <ul style="list-style-type: none">· 5 DIN containers (L x W x H = 600 x 300 x 150 mm) with one-part lidsor· 1 DIN container (L x W x H = 600 x 300 x 150 mm) with one-part lid· 2 DIN containers (L x W x H = 600 x 300 x 300 mm) with one-part lids
870008-3	Rack Containers Two-Part Lid Rack for Containers with Two-Part Lids <ul style="list-style-type: none">· Dimensions L x W x H = 750 x 610 x 538 mm· Includes spheric jets for interior cleaning of containers Loading capacity <ul style="list-style-type: none">· 5 DIN containers (L x W x H = 600 x 300 x 150 mm) with two-part lidsor· 1 DIN container (L x W x H = 600 x 300 x 150 mm) with two-part lid· 2 DIN containers (L x W x H = 600 x 300 x 300 mm) with two-part lids

Racks for MIS Instruments

<p>647337</p> 	<p>Rack Mixed Instruments 4 Level</p> <p>Rack for Instruments and various Applications</p> <ul style="list-style-type: none"> • Dimensions L x W x H = 750 x 610 x 670 mm • 6 possible connections for additional manifolds • 4 possible connections for application specific Mix Trays <p>Loading capacity</p> <ul style="list-style-type: none"> • 12 standard trays (L x W = 485 x 260 mm) • Level height H = 110 mm • Recommended loading height per level H = 100 mm
<p>870088-3</p> 	<p>Rack MIS/Instruments</p> <p>Rack for Instruments with Lumens</p> <ul style="list-style-type: none"> • Dimensions L x W x H = 750 x 610 x 540 mm <p>Loading capacity</p> <ul style="list-style-type: none"> • 6 standard trays (L x W = 485 x 260 mm) • Level height H = 120 mm • Recommended loading height per level H = 110 mm • 106 connections for instruments or adapters
<p>865109</p> 	<p>Rack MIS Multitop</p> <p>Rack for Instruments with Lumens</p> <ul style="list-style-type: none"> • Dimensions L x W x H = 750 x 610 x 620 mm • 10 possible connections for additional manifolds • 6 possible connections for application specific Mix Trays <p>Loading capacity</p> <ul style="list-style-type: none"> • 5 standard trays (L x W = 485 x 260 mm) • Level height H = 67 mm • Recommended loading height per level H = 55 mm • Space for 4 tube reels
<p>870036-3</p> 	<p>Rack MIS Basic</p> <p>Rack for Instruments with Lumens</p> <ul style="list-style-type: none"> • Dimensions L x W x H = 750 x 610 x 645 mm <p>Loading capacity</p> <ul style="list-style-type: none"> • 4 standard trays (L x W = 485 x 260 mm) • 2 trays for small parts • Level height H = 68 mm • Recommended loading height per level H = 60 mm • Tube tower with 4 connectors for tubes up to 3 m length (2 with Luer Lock, 2 with stepped jet) • 18 flush sleeves • 8 jets for trocar bolts (4 x Ø 3 mm and 4 x Ø 4 mm) • 18 connectors with Luer Lock • 22 flush pipes • 2 connectors for insufflation needles (Luer Lock) • 2 connectors for insufflation needles (fine thread)

Racks for da Vinci Instruments

<p>644986</p> 	<p>Rack da Vinci Xi</p> <p>Rack for da Vinci Endo Wrist Xi (IS 4000) Instruments from Intuitive Surgical</p> <ul style="list-style-type: none"> • Not compatible with WD 390 • Dimensions L x W x H = 750 x 610 x 424 mm • Compatible EndoWrist Instruments: 8 mm and Stapler • Integrated filter system <p>Loading capacity</p> <ul style="list-style-type: none"> • 6 da Vinci Xi Instruments on lower level • Optional extension kit for reprocessing up to 12 da Vinci Xi Instruments
<p>645011</p> 	<p>Rack da Vinci Si</p> <p>Rack for da Vinci Endo Wrist Si (IS 3000) Instruments from Intuitive Surgical</p> <ul style="list-style-type: none"> • Not compatible with WD 390 • Dimensions L x W x H = 750 x 610 x 424 mm • Compatible EndoWrist Instruments: 5 mm and 8 mm • Integrated filter system <p>Loading capacity</p> <ul style="list-style-type: none"> • 6 da Vinci Si Instruments on lower level • Optional extension kit for reprocessing up to 12 da Vinci Si Instruments • Optional extension kit to reprocess da Vinci Si Stapler Instruments

Article number	Article
----------------	---------

Racks for Anesthesia Instruments

814155	Rack Anesthesia with Tube Tower Racks for Anesthesia Instruments and Tubes <ul style="list-style-type: none">· Dimensions L x W x H = 750 x 610 x 610 mm· With tube tower Loading capacity <ul style="list-style-type: none">· Tube tower with 21 connections for breathing tubes (6 for children)· 5 suction tubes, maximum length of 1.5 m· 5 breathing bags· 2 CO₂ absorbers· 3 secretion glasses· 5 breathing masks· 5 laryngeal masks· 6 catheters· 6 endotracheal tubes· Space for other varied instruments
870238	Rack Anesthesia Rack for Anesthesia Instruments <ul style="list-style-type: none">· Dimensions L x W x H = 750 x 610 x 470 mm· Without tube tower Loading capacity <ul style="list-style-type: none">· 7 breathing masks· 7 endotracheal tubes· 5 breathing bags· 10 laryngeal masks· 10 catheters· 20 jet connections· Space for other varied instruments





Rack for Dental Instruments

109-8101	Rack Dental Instruments 64 Jets Rack for Dental Instruments <ul style="list-style-type: none">· Dimensions L x W x H = 750 x 610 x 250 mm Loading capacity <ul style="list-style-type: none">· 64 connections for dental instruments
----------	--





Article number	Article
----------------	---------







Racks for Laboratory Applications

870014-3	Rack LAB 64 Jets Rack for Laboratory Applications <ul style="list-style-type: none">· Dimensions L x W x H = 750 x 610 x 355 mm· Jets included Loading capacity <ul style="list-style-type: none">· 64 Spring-plugs for jets
870157	Rack LAB 80 Jets Rack for Laboratory Applications <ul style="list-style-type: none">· Dimensions L x W x H = 750 x 610 x 350 mm· Jets optional Loading capacity <ul style="list-style-type: none">· 80 Spring-plugs for jets
817569-3	Rack LAB Pipettes Rack for Pipettes <ul style="list-style-type: none">· Dimensions L x W x H = 750 x 610 x 312 mm Loading capacity <ul style="list-style-type: none">· 94 pipettes in a sloped position







Article number	Article
Accessories – WD 290 / WD 290 IQ	
549156	<div>Transport Cart WD 290/WD 290 IQ/WD 390</div> <div><ul style="list-style-type: none">· Dimensions L x W = 951 x 728 mm· Loading height H = 870 mm· Includes docking mechanism· May be reprocessed in WD 750/CS 750</div>
836790-3	<div>RFID Set</div> <div><p>RFID Set for Program Identification and Washarm Rotary Control (WRC)</p><ul style="list-style-type: none">· 2 sets required per Rack· Required for WRC option</div>
549253	<div>Magnet Holder WRC D16</div> <div><p>Washarm Rotary Control (WRC) Magnet for Washarm D = Ø 16 mm</p><ul style="list-style-type: none">· 1 Magnet holder required per washarm</div>
109-9932	<div>Magnet Holder WRC D16 IQ</div> <div><p>Washarm Rotary Control (WRC) Magnet for Washarm D = Ø 16 mm</p><ul style="list-style-type: none">· 1 Magnet holder required per washarm· Compatible with WD 290/WD 290 IQ Instrument Racks (Rack Instruments 1/2/3/4/5/6 Level)· Compatible with WD 290/WD 290 IQ Adaptable Instrument Racks (Rack Instruments 4/5 Level Adaptable)</div>





Article number	Article																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
----------------	---------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--







Article number	Article					
			Rack Instruments	Rack Instruments ECO	Rack Containers/Instruments	Rack Mixed Instruments
						Rack MIS/Instruments
110-0539	System Tray DIN <div><ul style="list-style-type: none">· Dimensions L x W x H = 472 x 236 x 48 mm· 4 flexible silicone supports L = 230 mm· Silicone cushions</div>		•	•	•	•
110-0540	System Tray 1/2 DIN <div><ul style="list-style-type: none">· Dimensions L x W x H = 236 x 236 x 48 mm· 2 flexible silicone supports L = 230 mm· Silicone cushions</div>		•	•	•	•
110-0542	System Tray 1/4 DIN <div><ul style="list-style-type: none">· Dimensions L x W x H = 236 x 110 x 48 mm· 5 silicone knob supports L = 110 mm· Silicone cushions</div>		•	•	•	•
110-0545	Silicone Cover System Tray DIN <div><ul style="list-style-type: none">· Dimensions L x W x H = 470 x 236 x 15 mm· Flexible silicone grid</div>		•	•	•	•





Article number	Article								
			Rack Instruments	Rack Instruments ECO	Rack Mixed Instruments	Rack MIS/Instruments	Rack MIS Multitop	Rack MIS Basic	Rack LAB 64 Jets
									Rack LAB 80 Jets
778935-3	MIS Tray <div><p>Tray with Lid for Detachable MIS Instruments</p><ul style="list-style-type: none">· Dimensions L x W x H = 485 x 250 x 65 mm· Mesh size = 3 x 3 mm</div>		•	•	•	•	•	•	
772521-3	MIS Tray for Small Parts <div><p>Tray with Lid for Small MIS Instrument Parts</p><ul style="list-style-type: none">· Dimensions L x W x H = 274 x 172 x 42 mm· Mesh size = 4 x 4 mm</div>		•	•	•	•	•	•	
870203-3	Cap for Spring-Plug <div><p>Cap to close Spring-Plugs which are not in use</p></div>					•	•	•	•
870038	Jet L90 D4 Spring-Plug <div><p>Spring-Plug Jet</p><ul style="list-style-type: none">· Dimensions D = Ø 4 mm, L = 90 mm</div>					•	•	•	•
870039	Jet L150 D4 Spring-Plug <div><p>Spring-Plug Jet</p><ul style="list-style-type: none">· Dimensions D = Ø 4 mm, L = 150 mm</div>					•	•	•	•
870040	Jet L190 D6 Spring-Plug <div><p>Spring-Plug Jet</p><ul style="list-style-type: none">· Dimensions D = Ø 6 mm, L = 190 mm</div>					•	•	•	•




Accessories – Racks for MIS Instruments





Article number	Article					
			Rack MIS/Instruments	Rack MIS Multitop	Rack MIS Basic	Rack LAB 64 Jets
						Rack LAB 80 Jets
Accessories – Racks for MIS Instruments						
870041	Jet L300 D8 Spring-Plug					
	Spring-Plug Jet · Dimensions D = Ø 8 mm, L = 300 mm		•	•	•	•
686429	Plug for MIS Basic Silicone Insert					
	Plug to close Silicone Insert when not in use		•	•		
175892	Jet L30 D3 Silicone Insert					
	Silicone Insert Jet · Dimensions D = Ø 3 mm, L = 30 mm		•	•		
175893	Jet L30 D4 Silicone Insert					
	Silicone Insert Jet · Dimensions D = Ø 4 mm, L = 30 mm		•	•		
175955	Jet L45 D3 Silicone Insert					
	Silicone Insert Jet · Dimensions D = Ø 3 mm, L = 45 mm		•	•		
175956	Jet L45 D4 Silicone Insert					
	Silicone Insert Jet · Dimensions D = Ø 4 mm, L = 45 mm		•	•		

Article number	Article				
			Rack MIS/Instruments	Rack MIS Multitop	Rack MIS Basic
					Rack Anesthesia
Accessories – Racks for MIS Instruments					
870043	Jet Multi Diameter Silicone Insert				
	Silicone Insert Jet · Includes different diameters for tubes · Dimensions D1 = Ø 4 mm, D2 = Ø 6 mm, D3 = Ø 8 mm, D4 = Ø 10 mm		•	•	
870046	Tube Reel				
	Tube Reel for Reprocessing Tubes			•	
817733	Tube Holder L170				
	Tube Holder for Suction Tubes · Dimension L = 170 mm			•	•
818707	Tube Holder L100				
	Tube Holder for Suction Tubes · Dimension L = 100 mm			•	•

Article number	Article				
			Rack Instruments 1 Level	Rack Instruments 2 Level	Rack Instruments 2 Level ECO
					Large Size Mesh Basket
Accessories – Baskets					
771312	Basket for Small Bowls				
	<ul style="list-style-type: none">Dimensions L x W x H = 550 x 320 x 120 mm Loading capacity <ul style="list-style-type: none">15 bowls D = Ø 100 mm per basket2 baskets for WD 290/WD 290 IQ/WD 390		•	•	•
769014	Basket for Medium Bowls				
	<ul style="list-style-type: none">Dimensions L x W x H = 550 x 320 x 120 mm Loading capacity <ul style="list-style-type: none">6 bowls D = Ø 160 mm per basket2 baskets for WD 290/WD 290 IQ/WD 390		•	•	•
819147-3	Basket for Large Bowls				
	<ul style="list-style-type: none">Dimensions L x W x H = 550 x 335 x 130 mm Loading capacity <ul style="list-style-type: none">2 bowls D = Ø 320 mm per basket2 baskets for WD 290/WD 290 IQ/WD 390		•	•	•
772999	Large Size Mesh Basket				
	Open Basket for Utensils <ul style="list-style-type: none">Dimensions L x W x H = 570 x 340 x 185 mmMesh size = 11 x 11 mmWithout lid		•	•	•
771303-3	Large Size Mesh Basket Lid				
	Large Size Mesh Basket Lid to Cover Large Size Mesh Basket <ul style="list-style-type: none">Dimensions L x W = 570 x 340 mmMesh size = 11 x 11 mm				•
771311	Basket Lab 7 x 12				
	Basket with 7 x 12 Bars for Glasses and Utensils <ul style="list-style-type: none">Dimensions L x W x H = 550 x 320 x 166 mmContains 84 bars		•	•	•

Article number	Article				
			Rack Instruments 1 Level	Rack Instruments 2 Level	Rack Instruments 2 Level ECO
					Large Size Basket Universal
Accessories – Baskets					
814650	Basket for Small OR Shoes				
	Basket for OR Shoes up to Size 9/10.5 <ul style="list-style-type: none">Dimensions L x W x H = 570 x 340 x 255 mm Loading capacity <ul style="list-style-type: none">15 OR shoes per basket2 baskets for WD 290/WD 290 IQ/WD 390		•	•	•
814649	Basket for Large OR Shoes				
	Basket for OR Shoes up to Size 12 <ul style="list-style-type: none">Dimensions L x W x H = 570 x 340 x 255 mm Loading capacity <ul style="list-style-type: none">9 OR shoes per basket2 baskets for WD 290/WD 290 IQ/WD 390		•	•	•
870050	Large Size Basket Universal				
	Basket for Bowls, Kidney Dishes, and Tablets <ul style="list-style-type: none">Dimensions L x W x H = 570 x 340 x 230 mmIncluded 3 split grid inserts		•	•	•
870051	Split Grid Insert Large				
	Split Grid Insert for Large Size Basket Universal				•

Article number	Article			
			Rack Instruments 1 Level	Rack Instruments 2 Level
				Rack Instruments 2 Level ECO
Accessories – Baskets				
818999-3	Basket for Kidney Dishes			
	<ul style="list-style-type: none">Dimensions L x W x H = 570 x 340 x 158 mm Loading capacity <ul style="list-style-type: none">8 kidney dishes per basket	•	•	•
818213-3	Basket for Tablets			
	<ul style="list-style-type: none">Dimensions L x W x H = 700 x 560 x 190 mm Loading capacity <ul style="list-style-type: none">27 tablets (235 x 150 x 27 mm) per basketor18 tablets (250 x 200 x 51 mm) per basket	•	•	•
771313	Basket for OR Light Handles			
	<ul style="list-style-type: none">Dimensions L x W x H = 560 x 225 x 190 mm Loading capacity <ul style="list-style-type: none">8 OR light handles D = Ø 120 mmor9 OR light handles D = Ø 75 mm	•	•	•

Article number	Article			
			Rack da Vinci Si	Rack da Vinci Xi
Accessories – Racks for da Vinci Instruments				
645012	da Vinci Si Extension Kit			
	da Vinci Si Instrument Extension Kit <ul style="list-style-type: none">Dimensions L x W x H = 560 x 310 x 265 mmAdditional capacity to da Vinci Si rackExtension kit may only be used with da Vinci Si rack Loading capacity <ul style="list-style-type: none">6 da Vinci Si instruments	•		
1005297	da Vinci Si Single Site Kit			
	da Vinci Si Instruments Single Site Kit <ul style="list-style-type: none">Additional to da Vinci Si racksSingle Site kit may only be used with da Vinci Si rack	•		
645370	da Vinci Si Stapler Kit			
	da Vinci Si Instrument Stapler Kit <ul style="list-style-type: none">Additional to da Vinci Si racksStapler kit may only be used with da Vinci Si rack Loading capacity <ul style="list-style-type: none">da Vinci Si Stapler	•		
644997	da Vinci Xi Extension Kit			
	da Vinci Xi Instrument Extension Kit <ul style="list-style-type: none">Additional capacity to da Vinci Xi racksExtension kit may only be used with da Vinci Xi rack Loading capacity <ul style="list-style-type: none">6 da Vinci Xi instruments			•

Article number	Article		
		Rack MIS Multitop	Rack Mixed Instruments
Mix Trays			
110-0546	Mix Tray I Mix Tray I for MIS Instruments Long <ul style="list-style-type: none">· 2 “Flushing Tubes Mix for Port Adapters” with a total of 12 flushing ports· 2 height adjustable instrument lifts to hold instruments in a tilted position· Dimensions L x W x H = 530 x 335 x 58 mm· Includes L-Key TX25 Loading capacity <ul style="list-style-type: none">· Each flushing tube contains 5 port caps self closing, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm· Each flushing tube contains 1 port cap open, D = Ø 4-8 mm, grey, for instruments D = Ø 4-8 mm	•	•
110-0547	Mix Tray II Mix Tray II for MIS Instruments Short <ul style="list-style-type: none">· 4 “Flushing Tubes Mix for Port Adapters” with a total of 24 flushing ports· 2 height adjustable instrument lifts to hold instruments in a tilted position· Dimensions L x W x H = 530 x 335 x 58 mm· Includes L-Key TX25 Loading capacity <ul style="list-style-type: none">· Each flushing tube contains 5 port caps self closing, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm· Each flushing tube contains 1 port cap open, D = Ø 4-8 mm, grey, for instruments D = Ø 4-8 mm	•	•
110-0548	Mix Tray III Mix Tray III for Eye Instruments <ul style="list-style-type: none">· 2 “Flushing Tubes for Mix Connector Sets” with “Mix Connector Sets Phaco” with a total of 12 flushing ports· 2 “Flushing Tubes Mix Luer Lock” with a total of 12 flushing ports· 2 height adjustable instrument lifts to hold instruments in a tilted position· Dimensions L x W x H = 530 x 335 x 58 mm· Includes L-Key TX25· Includes fine filter with mesh size below 0.08 mm Loading capacity <ul style="list-style-type: none">· For 6 phaco eye instrument sets, 6 Luer Lock Female (LLF) connectors and 6 Luer Male (LM) connectors· Additional 6 Luer Lock Female (LLF) connectors and 6 Luer Lock Male (LLM) connectors	•	•
110-0550	Mix Tray IV Mix Tray IV for Dental Instruments <ul style="list-style-type: none">· 4 “Flushing Tubes Mix for Dental I” with a total of 24 flushing ports· 2 height adjustable instrument lifts to hold instruments in a tilted position· Dimensions L x W x H = 530 x 335 x 58 mm· Includes L-Key TX25 Loading capacity <ul style="list-style-type: none">· 12 port caps self closing, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm· 12 flushing ports for dental instruments	•	•

Article number	Article				
			Mix Tray I	Mix Tray II	Mix Tray III
					Mix Tray IV
Mix Trays					
110-0610	Instrument Lift Mix Tray Height adjustable Instrument Lift <ul style="list-style-type: none">· To hold instruments in a tilted position· 2 flexible silicone support L = 160 mm· With silicone cushions for fixation	•	•	•	•

Article number	Article
Rack Ports and Flushing Manifolds	
110-0523	Connector Rack for Flushing Manifold <ul style="list-style-type: none">· Rack connector self closing, for flushing manifolds and port adapters· Suitable for spring-plug flushing port on the rack
110-0524	Connector Rack M8 for Flushing Manifold <ul style="list-style-type: none">· Rack connector self closing, for flushing manifolds and port adapters· Suitable for M8 port on the rack
110-0526	Flushing Manifold for Port Adapter <ul style="list-style-type: none">· 6 flushing ports with self closing caps, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm· Silicone tube D = Ø 6 mm, L = 600 mm and port adapter suitable for “Connector Rack for Flushing Manifolds”
110-0527	Flushing Manifold FX for Port Adapter <ul style="list-style-type: none">· 6 flushing ports with self closing caps, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm· Silicone tube D = Ø 6 mm, L = 600 mm and port adapter suitable for “Connector Rack for Flushing Manifolds”· With tray fixation (FX)· Includes L-Key TX25

Article number	Article
Rack Ports and Flushing Manifolds	
110-0528	Flushing Manifold for LLF Adapter <ul style="list-style-type: none">· 6 Luer Lock Male (LLM) flushing ports for Luer Lock Female (LLF) port adapter· Silicone tube D = Ø 6 mm, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds"
110-0529	Flushing Manifold FX for LLF Adapter <ul style="list-style-type: none">· 6 Luer Lock Male (LLM) flushing ports for Luer Lock Female (LLF) port adapter· Silicone tube D = Ø 6 mm, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds"· With tray fixation (FX)· Includes L-Key TX25
110-0530	Manifold FX Filter for LLF Adapter <ul style="list-style-type: none">· 6 Luer Lock Male (LLM) flushing ports for Luer Lock Female (LLF) port adapter· Silicone tube D = Ø 6 mm, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds"· With tray fixation (FX)· With integrated filter· Includes L-Key TX25
110-0525	Filter Cylinder FX for LLF Adapter <ul style="list-style-type: none">· 4 Luer Lock Male (LLM) flushing ports for Luer Lock Female (LLF) port adapter· Silicone tube D = Ø 6 mm, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds"· With tray fixation (FX)· With integrated filter

Article number	Article
Flushing Tubes	
110-0537	Flushing Tube Mix for Port Adapter <ul style="list-style-type: none">· 5 port caps self closing, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm· 1 port cap open, D = Ø 4-8 mm, grey, for instruments D = Ø 4-8 mm· Compatible with Mix Trays
110-0538	Flushing Tube Mix for LLF Adapter <ul style="list-style-type: none">· 6 Luer Lock Male (LLM) flushing ports for Luer Lock Female (LLF) port adapter· Compatible to Mix Trays
1005243	Flushing Tube Mix Luer Lock <ul style="list-style-type: none">· 3 Luer Lock Male (LLM) flushing ports· 3 Luer Lock Female (LLF) flushing ports· Compatible to Mix Trays
1005258	Flushing Tube Mix for Dental I <ul style="list-style-type: none">· 3 port caps self closing, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm· 3 flushing ports for dental instruments· Compatible to Mix Trays
1005260	Flushing Tube Mix for Dental II <ul style="list-style-type: none">· 6 flushing ports for dental instruments· Compatible to Mix Trays
1005261	Flushing Tube for Mix Connector Set <ul style="list-style-type: none">· 6 flushing ports D = Ø 3 mm for one "Mix Connector Set" per flushing tube· Compatible to Mix Trays

Article number	Article
----------------	---------

Product Connectors

110-0531	Product Connector LLM with Port Adapter <ul style="list-style-type: none">· Port adapter suitable for port caps, D = Ø 5 mm, green· Luer Lock Male (LLM) connector· Silicone tube D = Ø 4 mm, L = 300 mm
110-0532	Product Connector LLF with Port Adapter <ul style="list-style-type: none">· Port adapter suitable for port caps, D = Ø 5 mm, green· Luer Lock Female (LLF) connector· Silicone tube D = Ø 4 mm, L = 300 mm
110-0533	Product Connector 2 x LLF <ul style="list-style-type: none">· 2 Luer Lock Female (LLF) connectors· Silicone tube D = Ø 4 mm, L = 300 mm
110-0534	Product Connector LLF and LLM <ul style="list-style-type: none">· Luer Lock Female (LLF) connector· Luer Lock Male (LLM) connector· Silicone tube D = Ø 4 mm, L = 300 mm

Port Adapters

1023228	Port Adapter Module+ grey <ul style="list-style-type: none">· 6 port caps Module+ open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm· 6 port adapters D = Ø 10 mm· Premounted as port adapter· Port Adapters can be connected to the port caps Module+
---------	--

Article number	Article
----------------	---------

Port Adapters

110-0551	Port Adapter D2 Red <ul style="list-style-type: none">· 6 port caps self closing, D = Ø 2 mm, red, for instruments up to D = Ø 3 mm· 6 port adapters D = Ø 10 mm· Premounted as port adapter
110-0552	Port Adapter D3 Blue <ul style="list-style-type: none">· 6 port caps self closing, D = Ø 3 mm, blue, for instruments up to D = Ø 4 mm· 6 port adapters D = Ø 10 mm· Premounted as port adapter
110-0554	Port Adapter D4-8 Grey <ul style="list-style-type: none">· 6 port caps self closing, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm· 6 port adapters D = Ø 10 mm· Premounted as port adapter
110-0555	Port Adapter Caps punched Natural <ul style="list-style-type: none">· 6 port caps punched, natural· 6 port adapter with tapered jet· Premounted as port adapter
110-0557	Port Adapter open D8 Natural <ul style="list-style-type: none">· 6 port caps open, D = Ø 8 mm, natural, for instruments up to D = Ø 9 mm· 6 port adapters D = Ø 10 mm· Premounted as port adapter
110-0565	Port Adapter open D10 Blue <ul style="list-style-type: none">· 6 port caps open, D = Ø 10 mm, blue, for instruments up to D = Ø 11 mm· 6 port adapters D = Ø 12 mm· Premounted as port adapter

Article number	Article
Port Adapters	
110-0566	Port Adapter open D4-8 Grey <ul style="list-style-type: none">· 6 port caps open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm· 6 port adapters D = Ø 12 mm· Premounted as port adapter
110-0567	Port Adapter LLF <ul style="list-style-type: none">· 6 port adapters Luer Lock Female (LLF) with port adapter
110-0568	Port Adapter LLM <ul style="list-style-type: none">· 6 port adapters Luer Lock Male (LLM) with port adapter
110-0569	Port Adapter Catheter D7 <ul style="list-style-type: none">· Port adapter catheter D = Ø 7 mm, L = 310 mm, perforated, with port adapter
110-0570	Port Adapter Catheter D10 <ul style="list-style-type: none">· Port adapter catheter D = Ø 10 mm, L = 310 mm, perforated, with port adapter
110-0571	Port Adapter Phaco <ul style="list-style-type: none">· Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap· Port adapter D = Ø 10 mm· Luer Lock Female (LLF) connector· Luer Male (LM) connector· Premounted as port adapter· For phaco eye instrument set

Article number	Article
Port Adapters	
110-0572	Port Adapter 2 x LLM <ul style="list-style-type: none">· Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap· Port adapter D = Ø 10 mm· 2 Luer Lock Male (LLM) connectors· Premounted as port adapter
110-0573	Port Adapter 2 x D4-8 Grey <ul style="list-style-type: none">· Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap· Port adapter D = Ø 12 mm· 2 port caps open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm· Premounted as port adapter
110-0574	Port Adapter 2 x Tapered Jet <ul style="list-style-type: none">· Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap· Port adapter D = Ø 10 mm· 2 tapered jets· Premounted as port adapter
110-0587	Port Adapter Jet L80 <ul style="list-style-type: none">· 3 port adapter jets D = Ø 3 mm, L = 80 mm, with port adapter
110-0588	Port Adapter Jet L120 <ul style="list-style-type: none">· 3 port adapter jets D = Ø 4 mm, L = 120 mm, with port adapter
110-0589	Port Adapter Jet L180 <ul style="list-style-type: none">· 3 port adapter jets D = Ø 6 mm, L = 180 mm, with port adapter

Article number	Article
LLF Adapters	
1023229	LLF Adapter Module+ grey <ul style="list-style-type: none">· 6 port caps Module+ open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm· 6 port adapters D = Ø 10 mm· Premounted as LLF adapter· Port Adapters can be connected to the port caps Module+
110-0575	LLF Adapter D2 Red <ul style="list-style-type: none">· 6 port caps self closing, D = Ø 2 mm, red, for instruments up to D = Ø 3 mm· 6 LLF port adapters D = Ø 10 mm· Premounted as LLF adapter
110-0576	LLF Adapter D3 Blue <ul style="list-style-type: none">· 6 port caps self closing, D = Ø 3 mm, blue, for instruments up to D = Ø 4 mm· 6 LLF port adapters D = Ø 10 mm· Premounted as LLF adapter
110-0577	LLF Adapter D5 Green <ul style="list-style-type: none">· 6 port caps self closing, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm· 6 LLF port adapters D = Ø 10 mm· Premounted as LLF adapter
110-0578	LLF Adapter D4-8 Grey <ul style="list-style-type: none">· 6 port caps self closing, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm· 6 LLF port adapters D = Ø 10 mm· Premounted as LLF adapter
110-0579	LLF Adapter Cap punched Natural <ul style="list-style-type: none">· 6 port caps punched, natural· 6 LLF port adapters with tapered jet· Premounted as LLF adapter
110-0580	LLF Adapter open D8 Natural <ul style="list-style-type: none">· 6 port caps open, D = Ø 8 mm, natural, for instruments up to D = Ø 9 mm· 6 LLF port adapters D = Ø 10 mm· Premounted as LLF adapter

Article number	Article
LLF Adapters	
110-0581	LLF Adapter open D10 Blue <ul style="list-style-type: none">· 6 port caps open, D = Ø 10 mm, blue, for instruments up to D = Ø 11 mm· 6 LLF port adapters D = Ø 12 mm· Premounted as LLF adapter
110-0582	LLF Adapter open D4-8 Grey <ul style="list-style-type: none">· 6 port caps open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm· 6 LLF port adapters D = Ø 12 mm· Premounted as LLF adapter
110-0583	LLF Adapter Phaco <ul style="list-style-type: none">· Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap· LLF port adapter D = Ø 10 mm· Luer Lock Female (LLF) connector· Luer Male (LM) connector· Premounted as LLF adapter· For phaco eye instrument set
110-0584	LLF Adapter 2 x LLM <ul style="list-style-type: none">· Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap· LLF port adapter D = Ø 10 mm· 2 Luer Lock Male (LLM) port· Premounted as LLF adapter
110-0585	LLF Adapter 2 x D4-8 Grey <ul style="list-style-type: none">· Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap· LLF port adapter D = Ø 12 mm· 2 port caps open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm· Premounted as LLF adapter
110-0586	LLF Adapter 2 x Tapered Jet <ul style="list-style-type: none">· Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap· LLF port adapter D = Ø 10 mm· 2 tapered jets· Premounted as LLF adapter

Article number	Article
Replacement Parts	
110-0645	Replacement Standard Filtration Blue <ul style="list-style-type: none">· 3 filter sets with each 1 filter and 1 silicone ring, blue· Standard filtration for lumened instruments· Mesh size 0.13-0.14 mm
110-0590	Replacement Fine Filtration Red <ul style="list-style-type: none">· 3 filter sets with each 2 filters and 1 silicone ring, red· Fine filtration for lumened instruments with high requirements· Mesh size below 0.08 mm
1023230	Replacement Port Caps Module+ grey <ul style="list-style-type: none">· 6 port caps Module+ open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm· Suitable for port adapter D = Ø 10 mm
110-0592	Replacement Port Caps D2 Red <ul style="list-style-type: none">· 6 port caps self closing, D = Ø 2 mm, red, for instruments up to D = Ø 3 mm· Suitable for port adapter D = Ø 10 mm
110-0593	Replacement Port Caps D3 Blue <ul style="list-style-type: none">· 6 port caps self closing, D = Ø 3 mm, blue, for instruments up to D = Ø 4 mm· Suitable for port adapter D = Ø 10 mm
110-0594	Replacement Port Caps D5 Green <ul style="list-style-type: none">· 6 port caps self closing, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm· Suitable for port adapter D = Ø 10 mm and flushing manifold
110-0596	Replacement Port Caps D4-8 Grey <ul style="list-style-type: none">· 6 port caps self closing, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm· Suitable for port adapter D = Ø 10 mm

Article number	Article
Replacement Parts	
110-0597	Replacement Port Caps punched Natural <ul style="list-style-type: none">· 6 port caps punched, natural· Suitable for port adapter cap punched natural
110-0598	Replacement Port Caps open D8 Natural <ul style="list-style-type: none">· 6 port caps open, D = Ø 8 mm, natural, for instruments up to D = Ø 9 mm· Suitable for port adapter D = Ø 10 mm
110-0599	Replacement Port Caps open D10 Blue <ul style="list-style-type: none">· 6 port caps open, D = Ø 10 mm, blue, for instruments up to D = Ø 11 mm· Suitable for port adapter D = Ø 12 mm
110-0646	Replacement Port Caps open D4-8 Grey <ul style="list-style-type: none">· 6 port caps open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm· Suitable for port adapter D = Ø 12 mm
1005262	Mix Connector Set Phaco <ul style="list-style-type: none">· 3 Luer Lock Female (LLF) connectors· 3 Luer Male (LM) connectors· 6 silicone tubes D = Ø 2 mm· Compatible to "Flushing Tube for Mix Connector Set"
1005263	Silicone Tubes Mix Connector Set <p>Replacement silicone tubes to "Mix Connector Set"</p> <ul style="list-style-type: none">· 12 silicone tubes D = Ø 2 mm x 100 mm· Suitable for 2 Mix Connector Sets· Suitable for 1 Mix Tray III for Eye Instruments

Article number	Article
----------------	---------

Replacement Parts

110-0601	Replacement Silicone Tubes L300 <ul style="list-style-type: none">· 10 silicone tubes, D = Ø 4 mm, L = 300 mm· Suitable for "Product Connectors"
110-0602	Replacement Silicone Tubes L200 <ul style="list-style-type: none">· 5 double silicone tubes 2 x D = Ø 2 mm, L = 200 mm, with attached port cap· With silicone tube cuffs· Suitable for adapters
110-0603	Replacement Silicone Tubes L600 <ul style="list-style-type: none">· 5 silicone tubes D = Ø 6 mm, L = 600 mm· Suitable for "Flushing Manifolds" and "Filter Cylinder"
1005264	Replacement Silicone Tubes L2000 <ul style="list-style-type: none">· 1 silicone tube D = Ø 4 mm, L = 2000 mm· Suitable for "Product Connectors" for individual length
110-0604	Replacement Silicone Supports L230 <ul style="list-style-type: none">· 4 flexible silicone supports L = 230 mm· Includes mounting· Suitable for one "System Tray DIN"· Suitable for two "System Trays 1/2 DIN"

Article number	Article
----------------	---------

Replacement Parts

110-0605	Replacement Silicone Supports L110 <ul style="list-style-type: none">· 5 silicone knob supports L = 110 mm· Suitable for two "System Trays 1/4 DIN"
110-0606	Replacement Silicone Supports L160 <ul style="list-style-type: none">· 4 flexible silicone supports L = 160 mm· Suitable for one "Mix Tray" with 2 instrument lifts
110-0607	Replacement Silicone Cushions <ul style="list-style-type: none">· 10 silicone cushions· Suitable for trays and other applications
110-0608	Replacement Silicone Tray Fixation <ul style="list-style-type: none">· 10 silicone elements· Suitable for fixation of cassettes within a "System Tray" or "Mix Tray"
110-0609	Replacement Silicone Flaps Mix <ul style="list-style-type: none">· 4 silicone flaps for Mix Tray connector· Suitable for Rack MIS Multitop and Rack Mixed Instruments

Contact

Belimed Inc. is a leading supplier of medical and surgical instrument sterilization, disinfection, and cleaning products and services.

With 12 Belimed companies throughout Europe, North America and China, Belimed is represented worldwide by a strong network in over 80 countries.


USA Headquarters

Belimed, Inc.
8351 Palmetto Commerce Parkway
Suite 101
Ladson, SC 29456
1.800.451.4118
info.us@belimed.com

Global Headquarters

Belimed AG
Grienbachstrasse 11
6300 Zug
Switzerland
+41 41 449 78 88
info@belimed.com

REV12.21.2021_Q0



Engineers of Confidence.

Belimed
Infection Control

For more information,
visit www.belimed.com

